



DATE	Intake	F/U #1	F/U #2	F/U #3	F/U #4	F/U #5
BAMQ1: Health Problems	4	3	2	1	1	
BAMQ2: Sleep Problems	4	3	2	1	0	
BAMQ3: Mood Problems	4	2	3	1	1	
BAMQ4: Alcohol Use	4	4	2	1	0	
BAMQ5: Excessive Alcohol Use	4	3	2	1	0	
BAMQ6: Illicit Drug Use	4	2	1	0	0	
BAMQ7A: Marijuana Use	4	3	2	1	1	
BAMQ7B: Sedative/Tranquilizer Use	2	1	1	0	0	
BAMQ7C: Cocaine/Crack Use	4	3	1	1	0	
BAMQ7D: Other Stimulant Use	2	2	1	0	0	
BAMQ7E: Opiate Use	1	1	0	0	0	
BAMQ7F: Inhalant Use	0	0	0	0	0	
BAMQ7G: Other Drug Use	1	1	0	0	0	
BAMQ8: Cravings	4	4	3	2	1	
BAMQ9: Confidence to be Abstinent	0	1	2	3	4	
BAMQ10: Self-Help Meeting Attendance	0	1	3	3	4	
BAMQ11: Risky Situations	4	3	3	1	1	
BAMQ12: Spirituality	1	2	3	4	3	
BAMQ13: Work, School, or Volunteering	0	1	1	3	2	
BAMQ14: Enough Legal Income	0	0	0	2	3	
BAMQ15: Arguments with Family/Friends	4	4	3	3	0	
BAMQ16: Spent Time with Supportive Family/Fr	0	1	2	3	4	
BAMQ17: Satisfied with Recovery	1	2	2	3	4	
USE: Alcohol & Drugs	12	9	5	2	0	0
RISK for USE	24	19	16	9	4	0
PROTECTION from USE	1	6	11	18	20	0

Change in BAM Factor Scores Since Treatment Began




Change in Alcohol & Drug Use Since Treatment Began



Change in Physical Health, Sleep, & Mood Problems Since Treatment Began

- BAMQ1: Health Problems
- BAMQ2: Sleep Problems
- BAMQ3: Mood Problems



Physical Health


4=Poor
3=Fair
2=Good
1=Very Good
0=Excellent

Sleep and Mood


Days in Past 30 with Problems

4= 16 to 30 days
3= 9 to 15 days
2= 4 to 8 days
1= 1 to 3 days
0= 0 days

Change in Marijuana and Cocaine Use Since Treatment Began




Change in Alcohol and/or Drug Cravings Since Treatment Began



Change In Self-Help Meeting Attendance

■ BAMQ10: Self-Help Meeting Attendance



Attended Self-Help Meetings
(in past 30 days)

0=0 days


1=1 to 3 days

2=4 to 8 days

3= 9 to 15 days


4=16 to 30 days

Change in BAM Risk Factors Since Beginning Treatment



■ BAMQ1: Health Problems	4	3	2	1	1	
■ BAMQ2: Sleep Problems	4	3	2	1	0	
■ BAMQ3: Mood Problems	4	2	3	1	1	
■ BAMQ8: Cravings	4	4	3	2	1	
■ BAMQ11: Risky Situations	4	3	3	1	1	
■ BAMQ15: Arguments with Family/Friends	4	4	3	3	0	

Change in BAM Protection Factors Since Beginning Treatment



	Intake	F/U #1	F/U #2	F/U #3	F/U #4	F/U #5
■ BAMQ9: Confidence to be Abstinent	0	1	2	3	4	
■ BAMQ10: Self-Help Meeting Attendance	0	1	3	3	4	
■ BAMQ12: Spirituality	1	2	3	4	3	
■ BAMQ13: Work, School, or Volunteering	0	1	1	3	2	
■ BAMQ14: Enough Legal Income	0	0	0	2	3	
■ BAMQ16: Spent Time with Supportive Family/Friends	0	1	2	3	4	

