



DATE	Intake	F/U #1	F/U #2	F/U #3	F/U #4	F/U #5	
BAMQ1: Health Problems	30	22	15	8	0	0	0
BAMQ2: Sleep Problems	22	15	15	8	8	0	0
BAMQ3: Mood Problems	30	20	15	10	5	0	0
BAMQ4: Alcohol Use	30	25	20	15	10	5	5
BAMQ5: Excessive Alcohol Use	25	20	15	10	5	0	0
BAMQ6: Illicit Drug Use	20	15	10	5	2	0	0
BAMQ7A: Marijuana Use	20	15	10	5	2	0	0
BAMQ7B: Sedative/Tranquilizer Use	10	10	5	5	0	0	0
BAMQ7C: Cocaine/Crack Use	15	10	5	5	2	0	0
BAMQ7D: Other Stimulant Use	0	0	0	0	0	0	0
BAMQ7E: Opiate Use	5	5	4	3	2	0	0
BAMQ7F: Inhalant Use	0	0	0	0	0	0	0
BAMQ7G: Other Drug Use	0	0	0	0	0	0	0
BAMQ8: Cravings	30	22	22	15	8	8	8
BAMQ9: Confidence to be Abstinent	0	8	15	15	22	30	30
BAMQ10: Self-Help Meeting Attendance	0	5	10	15	20	20	20
BAMQ11: Risky Situations	30	25	20	15	10	5	5
BAMQ12: Spirituality	0	8	8	8	15	22	22
BAMQ13: Work, School, or Volunteering	0	0	5	10	15	30	30
BAMQ14: Enough Legal Income	0	0	0	0	30	30	30
BAMQ15: Arguments with Family/Friends	30	22	22	15	8	0	0
BAMQ16: Spent Time with Supportive Family/Fr	8	8	15	15	22	30	30
BAMQ17: Satisfied with Recovery	0	8	8	15	22	30	30
RISK for USE	172	126	109	71	39	13	13
PROTECTION from USE	8	29	53	63	124	162	162
USE	75	60	45	30	17	5	5

## Change in BAM Factor Scores Since Treatment Began



# Change in Alcohol & Drug Use Since Treatment Began


Days of Use




## Change in Sleep & Mood Problems Since Treatment Began

- BAMQ1: Health Problems
- BAMQ2: Sleep Problems
- BAMQ3: Mood Problems

Days with Problems




## Change in Marijuana and Cocaine Use Since Treatment Began



## Change in Alcohol and/or Drug Cravings Since Treatment Began

**Bothered  
by Craving**




■ BAMQ8: Cravings  
Bothered by Craving  
(Past 30 Days)  
30=Extremely  
22=Considerably  
15=Moderately  
8=Slightly  
0=Not at all


# Change In Self-Help Meeting Attendance

■ BAMQ10: Self-Help Meeting Attendance

**Days  
Attended  
Self-Help  
Meetings**




## Change in BAM Risk Factors Since Beginning Treatment



	Intake	F/U #1	F/U #2	F/U #3	F/U #4	F/U #5
■ BAMQ1: Health Problems	30	22	15	8	0	0
■ BAMQ2: Sleep Problems	22	15	15	8	8	0
■ BAMQ3: Mood Problems	30	20	15	10	5	0
■ BAMQ8: Cravings	30	22	22	15	8	8
■ BAMQ11: Risky Situations	30	25	20	15	10	5
■ BAMQ15: Arguments with Family/Friends	30	22	22	15	8	0



## Change in BAM Protective Factors Since Beginning Treatment



	Intake	F/U #1	F/U #2	F/U #3	F/U #4	F/U #5
■ BAMQ9: Confidence to be Abstinent	0	8	15	15	22	30
■ BAMQ10: Self-Help Meeting Attendance	0	5	10	15	20	20
■ BAMQ12: Spirituality	0	8	8	8	15	22
■ BAMQ13: Work, School, or Volunteering	0	0	5	10	15	30
■ BAMQ14: Enough Legal Income	0	0	0	0	30	30
■ BAMQ16: Spent Time with Supportive Family/Friends	8	8	15	15	22	30











