



	DATE	Intake	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8
BAMQ1: Health Problems		4	3	3	2	2	2	1	1	0
BAMQ2: Sleep Problems		4	3	3	2	2	2	1	1	0
BAMQ3: Mood Problems		4	3	3	2	2	2	1	1	0
BAMQ4: Alcohol Use		4	3	3	2	2	2	1	1	0
BAMQ5: Excessive Alcohol Use		4	3	3	2	2	2	1	1	0
BAMQ6: Illicit Drug Use		4	3	3	2	2	2	1	1	0
BAMQ7A: Marijuana Use		4	3	3	2	2	2	1	1	0
BAMQ7B: Sedative/Tranquilizer Use		4	3	3	2	2	2	1	1	0
BAMQ7C: Cocaine/Crack Use		4	3	3	2	2	2	1	1	0
BAMQ7D: Other Stimulant Use		4	3	3	2	2	2	1	1	0
BAMQ7E: Opiate Use		4	3	3	2	2	2	1	1	0
BAMQ7F: Inhalant Use		4	3	3	2	2	2	1	1	0
BAMQ7G: Other Drug Use		4	3	3	2	2	2	1	1	0
BAMQ8: Cravings		4	3	3	2	2	2	1	1	0
BAMQ9: Confidence to be Abstinent		1	2	2	3	3	3	4	4	4
BAMQ10: Self-Help Meeting Attendance		1	2	2	3	3	3	4	4	4
BAMQ11: Risky Situations		4	3	3	2	2	2	1	1	0
BAMQ12: Spirituality		1	2	2	3	3	3	4	4	4
BAMQ13: Work, School, or Volunteering		1	2	2	3	3	3	4	4	4
BAMQ14: Enough Legal Income		0	0	0	4	4	4	4	4	4
BAMQ15: Arguments with Family/Friends		4	3	3	2	2	2	1	1	0
BAMQ16: Spent Time with Supportive Family/Fri		1	2	2	3	3	3	4	4	4
BAMQ17: Satisfied with Recovery		1	2	2	3	3	3	4	4	4
USE: Alcohol & Drugs		12	9	9	6	6	6	3	3	0
RISK for USE		24	18	18	12	12	12	6	6	0
PROTECTION from USE		5	10	10	19	19	19	24	24	24

Change in BAM Factor Scores Since Treatment Began




Change in Alcohol & Drug Use Since Treatment Began



Change in Physical Health, Sleep, & Mood Problems Since Treatment Began

■ BAMQ1: Health Problems
 ■ BAMQ2: Sleep Problems
 ■ BAMQ3: Mood Problems



Physical Health


4=Poor
 3=Fair
 2=Good
 1=Very Good
 0=Excellent


Sleep and Mood

Days in Past 7 with Problems
 4=4 or more days
 3=3 days
 2=2 days
 1=1 day
 0=0 days

INTAKE WEEK 1 WEEK 2 WEEK 3 WEEK 4 WEEK 5 WEEK 6 WEEK 7 WEEK 8


Change in Marijuana and Cocaine Use Since Treatment Began






Change in Alcohol and/or Drug Cravings Since Treatment Began

■ BAMQ8: Cravings




Bothered by Craving (Past 7 Days)
 4=Extremely
 3=Considerably
 2=Moderately
 1=Slightly
 0=Not at all



Change In Self-Help Meeting Attendance

■ BAMQ10: Self-Help Meeting Attendance



Attended Self-Help Meetings
(in past 7 days)


4=4 or more days

3=3 days


2=2 days

1=1 day

0=0 days




Change in BAM Risk Factors Since Beginning Treatment



	Intake	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8
BAMQ15: Arguments with Family/Friends	4	3	3	2	2	2	1	1	0
BAMQ11: Risky Situations	4	3	3	2	2	2	1	1	0
BAMQ8: Cravings	4	3	3	2	2	2	1	1	0
BAMQ3: Mood Problems	4	3	3	2	2	2	1	1	0

BAMQ2: Sleep Problems	4	3	3	2	2	2	1	1	0
BAMQ1: Health Problems	4	3	3	2	2	2	1	1	0

Change in BAM Protection Factors Since Beginning Treatment



BAMQ16: Spent Time with Supportive Family/Friends	1	2	2	3	3	3	4	4	4
BAMQ14: Enough Legal Income	0	0	0	4	4	4	4	4	4
BAMQ13: Work, School, or Volunteering	1	2	2	2	2	2	4	4	4

■ BAMQ13: Work, School, or Volunteering	1	2	2	3	3	3	4	4	4
■ BAMQ12: Spirituality	1	2	2	3	3	3	4	4	4
■ BAMQ10: Self-Help Meeting Attendance	1	2	2	3	3	3	4	4	4
■ BAMQ9: Confidence to be Abstinent	1	2	2	3	3	3	4	4	4

