

Wisconsin Collaborative of Treatment Professionals FOR EDUCATION AND CAPACITY TRAINING

Framing Substance Use in the Perinatal Period: Where Do You Start on a Circle?

July 9, 2020

Disclosures

- Hub
 - Elizabeth Goetz, MD, MPH, IBCLC
 - Tanya Kraege, APSW, MSW, CSAC
 - Kyle Mounts, MScPH
 - Meagan Thompson, MN, RN, CNM
 - Eileen Zeiger, MA


Members of the hub disclosed no relevant conflicts of interest.



Objectives


- List three benefits of applying a broad view of health to substance use disorders;
- Describe the inter-related social determinants of maternal risk for opioid use disorder;
- Describe the role of stress in substance use disorders.





HOSPITAL CARE POSTPARTUM CARE






HOSPITAL CARE

POSTPARTUM CARE

PREGNANT WOMAN'S LIFE






PREGNANT WOMAN'S LIFE






PREGNANT WOMAN'S LIFE














PERINATAL STRESS

Social Determinants

Teratogenic Exposures

Parental Psychopathology

Environmental

Physiological Response

HPA Axis

Immune

Domain Vulnerabilities

Cognitive

Psychosocial

Neurobiological



SUBSTANCE USE/ABUSE VULNERABILITY

From Horn et al., 2018